



# NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),  
Proposed Sites for Community Importance (pSCI),  
Sites of Community Importance (SCI) and  
for Special Areas of Conservation (SAC)

SITE IT2030008

SITENAME Il Toffo

## TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

## 1. SITE IDENTIFICATION

<b>1.1 Type</b> A	<b>1.2 Site code</b> IT2030008	<a href="#">Back to top</a>
----------------------	-----------------------------------	-----------------------------

### 1.3 Site name

Il Toffo
----------

<b>1.4 First Compilation date</b> 2011-07	<b>1.5 Update date</b> 2017-01
--	-----------------------------------

### 1.6 Respondent:

<b>Name/Organisation:</b>	Regione Lombardia Direzione Generale Ambiente, Energia e Sviluppo Sostenibile - Struttura Valorizzazione aree protette e biodiversità
<b>Address:</b>	Piazza Città di Lombardia 1, 20124 Milano
<b>Email:</b>	ambiente@pec.regione.lombardia.it

### 1.7 Site indication and designation / classification dates

<b>Date site classified as SPA:</b>	2011-10
<b>National legal reference of SPA designation</b>	D.G.R. 11343/2010

## 2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

**Longitude**  
9.451105

**Latitude**  
45.726865

**2.2 Area [ha]:**  
88.0

**2.3 Marine area [%]**  
0.0

**2.4 Sitelength [km]:**  
0.0

### 2.5 Administrative region code and name

**NUTS level 2 code**      **Region Name**

ITC4	Lombardia
------	-----------

### 2.6 Biogeographical Region(s)

Continental (100.0  
%)

## 3. ECOLOGICAL INFORMATION

[Back to top](#)

### 3.1 Habitat types present on the site and assessment for them

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3150			1.59		M	C	C	B	B
3260			20.17		M	C	C	C	C
91E0			9.3		M	B	C	B	B

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

### 3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species			Population in the site						Site assessment	
		Scientific								



B	A335	<a href="#">brachydactyla</a>			p	1	5	p		G	C	B	C	B
B	A288	<a href="#">Cettia cetti</a>			p	6	10	p		G	C	A	C	A
B	A136	<a href="#">Charadrius dubius</a>			c				P	DD	D			
B	A081	<a href="#">Circus aeruginosus</a>			p	1	1	p		G	C	B	C	B
B	A082	<a href="#">Circus cyaneus</a>			w				P	DD	D			
F	5304	<a href="#">Cobitis bilineata</a>			p				R	DD	C	B	B	B
B	A208	<a href="#">Columba palumbus</a>			p				P	DD	D			
B	A349	<a href="#">Corvus corone</a>			p				P	DD	D			
F	1163	<a href="#">Cottus gobio</a>			p				R	DD	C	B	B	B
B	A212	<a href="#">Cuculus canorus</a>			r	6	10	i		G	C	B	C	B
B	A036	<a href="#">Cygnus olor</a>			p	11	50	i		G	C	B	C	B
B	A253	<a href="#">Delichon urbica</a>			c				P	DD	D			
B	A237	<a href="#">Dendrocopos major</a>			p	1	5	i		G	C	B	C	B
B	A027	<a href="#">Egretta alba</a>			c				P	DD	D			
B	A026	<a href="#">Egretta garzetta</a>			c				P	DD	C	B	B	B
B	A381	<a href="#">Emberiza schoeniclus</a>			w	251	500	i		G	C	B	C	A
B	A381	<a href="#">Emberiza schoeniclus</a>			r	1	5	i		G	C	B	C	A
B	A269	<a href="#">Erithacus rubecula</a>			p				P	DD	C	B	C	C
B	A269	<a href="#">Erithacus rubecula</a>			r	1	5	i		G	C	B	C	C
B	A103	<a href="#">Falco peregrinus</a>			p				P	DD	D			
B	A099	<a href="#">Falco subbuteo</a>			r	1	1	p		G	C	B	B	C
B	A096	<a href="#">Falco tinnunculus</a>			c				P	DD	D			
B	A322	<a href="#">Ficedula hypoleuca</a>			c				P	DD	D			
B	A359	<a href="#">Fringilla coelebs</a>			r	6	10	i		G	C	B	C	B
B	A360	<a href="#">Fringilla montifringilla</a>			w				P	DD	D			
B	A125	<a href="#">Fulica atra</a>			r	51	100	i		G	C	B	C	B
B	A125	<a href="#">Fulica atra</a>			w	101	250	i		G	C	B	C	B
B	A153	<a href="#">Gallinago gallinago</a>			w	1	5	i		G	C	C	C	C
B	A123	<a href="#">Gallinula chloropus</a>			w	51	100	i		G	C	B	C	B
B	A123	<a href="#">Gallinula chloropus</a>			r	11	50	i		G	C	B	C	B

B	A299	<a href="#">Hippolais icterina</a>			c					P	DD	D			
B	A251	<a href="#">Hirundo rustica</a>			c	1000	10000	i			G	C	B	C	B
B	A022	<a href="#">Ixobrychus minutus</a>			r	2	2	p			G	C	B	C	A
B	A233	<a href="#">Jynx torquilla</a>			r	1	5	i			G	C	B	C	B
B	A338	<a href="#">Lanius collurio</a>			c					P	DD	D			
B	A340	<a href="#">Lanius excubitor</a>			c					P	DD	D			
B	A459	<a href="#">Larus cachinnans</a>			p					P	DD	D			
B	A182	<a href="#">Larus canus</a>			w					P	DD	D			
B	A179	<a href="#">Larus ridibundus</a>			p					P	DD	D			
B	A292	<a href="#">Locustella luscinioides</a>			r					P	DD	D			
B	A271	<a href="#">Luscinia megarhynchos</a>			r	1	5	i			G	C	B	C	B
B	A272	<a href="#">Luscinia svecica</a>			c					P	DD	D			
B	A073	<a href="#">Milvus migrans</a>			c					P	DD	D			
B	A262	<a href="#">Motacilla alba</a>			p	1	5	i			G	C	B	C	B
B	A261	<a href="#">Motacilla cinerea</a>			p	1	5	i			G	C	B	C	B
B	A260	<a href="#">Motacilla flava</a>			c					P	DD	D			
B	A319	<a href="#">Muscicapa striata</a>			r	1	5	i			G	C	B	C	B
B	A023	<a href="#">Nycticorax nycticorax</a>			c					P	DD	C	B	B	B
B	A277	<a href="#">Oenanthe oenanthe</a>			c					P	DD	D			
B	A337	<a href="#">Oriolus oriolus</a>			c					P	DD	D			
B	A094	<a href="#">Pandion haliaetus</a>			c					P	DD	D			
B	A328	<a href="#">Parus ater</a>			c					P	DD	D			
B	A329	<a href="#">Parus caeruleus</a>			p	11	50	i			G	C	B	C	B
B	A330	<a href="#">Parus major</a>			p	6	10	i			G	C	B	C	B
B	A325	<a href="#">Parus palustris</a>			p	1	5	i			G	C	B	C	B
B	A356	<a href="#">Passer montanus</a>			p	6	10	i			G	C	B	C	B
B	A072	<a href="#">Pernis apivorus</a>			c					P	DD	D			
B	A017	<a href="#">Phalacrocorax carbo</a>			w	170	170	i			G	C	B	C	A
B	A115	<a href="#">Phasianus colchicus</a>			p	1	5	i			G	C	B	C	B
B	A273	<a href="#">Phoenicurus ochruros</a>			c					P	DD	D			

B	A274	<a href="#">Phoenicurus phoenicurus</a>			r				P	DD	D			
B	A313	<a href="#">Phylloscopus bonelli</a>			c				P	DD	D			
B	A315	<a href="#">Phylloscopus collybita</a>			p	1	5	i		G	C	B	C	B
B	A314	<a href="#">Phylloscopus sibilatrix</a>			c				P	DD	D			
B	A316	<a href="#">Phylloscopus trochilus</a>			c				P	DD	D			
B	A343	<a href="#">Pica pica</a>			p	1	5	i		G	C	B	C	B
B	A235	<a href="#">Picus viridis</a>			p	1	5	i		G	C	B	C	B
B	A005	<a href="#">Podiceps cristatus</a>			p	8	10	i		G	C	B	C	B
B	A120	<a href="#">Porzana parva</a>			c				P	DD	D			
B	A119	<a href="#">Porzana porzana</a>			c				P	DD	D			
B	A266	<a href="#">Prunella modularis</a>			w				P	DD	C	B	C	B
B	A118	<a href="#">Rallus aquaticus</a>			r	5	11	i		G	C	B	C	B
A	1215	<a href="#">Rana latastei</a>			p	251	500	i		G	C	B	A	B
B	A318	<a href="#">Regulus ignicapillus</a>			p				P	DD	D			
B	A317	<a href="#">Regulus regulus</a>			c				P	DD	D			
B	A336	<a href="#">Remiz pendulinus</a>			c				P	DD	D			
B	A249	<a href="#">Riparia riparia</a>			c				P	DD	C	C	C	C
F	1114	<a href="#">Rutilus pigus</a>			p				R	DD	C	B	A	B
B	A275	<a href="#">Saxicola rubetra</a>			c				P	DD	D			
B	A276	<a href="#">Saxicola torquata</a>			c				P	DD	C	C	C	C
B	A155	<a href="#">Scolopax rusticola</a>			w				P	DD	D			
B	A361	<a href="#">Serinus serinus</a>			c				P	DD	D			
B	A332	<a href="#">Sitta europaea</a>			r	1	5	i		G	C	B	C	B
B	A209	<a href="#">Streptopelia decaocto</a>			p				P	DD	C	B	C	B
B	A210	<a href="#">Streptopelia turtur</a>			r				P	DD	C	B	C	B
B	A219	<a href="#">Strix aluco</a>			p				P	DD	D			
B	A351	<a href="#">Sturnus vulgaris</a>			p				P	DD	C	B	C	B
B	A311	<a href="#">Sylvia atricapilla</a>			p	11	50	i		G	C	B	C	B
B	A310	<a href="#">Sylvia borin</a>			c				P	DD	D			



F		<a href="#">fluviatilis</a>					P			X			
A	1209	<a href="#">Rana dalmatina</a>					P	X					
P		<a href="#">Sparganium erectum</a>					P			X			
P		<a href="#">Typha latifolia</a>					P						X

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

## 4. SITE DESCRIPTION

[Back to top](#)

### 4.1 General site character

Habitat class	% Cover
N06	21.0
N07	27.0
N12	25.0
N20	3.0
N23	1.0
N15	23.0
<b>Total Habitat Cover</b>	<b>100</b>

### 4.2 Quality and importance

L'area rappresenta una delle zone umide meglio conservate del Parco Adda Nord; la sua importanza per l'avifauna è confermata dalla varietà di specie nidificanti e svernanti, e dalla presenza di numerose specie di interesse comunitario. E' presente una garzaia di airone cinerino. L'area è altresì importante per la presenza di Rana latastei. Dal 2002 è attiva una stazione di inanellamento a scopo scientifico secondo il progetto P.R.I.S.C.O. coordinato dall'INFS.

### 4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
L	K03		i
L	J02.05		b
M	D01.05		b
M	H02.06		b
M	K01.02		i

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside/outside [i o b]
H	J02.02		i



M	F02		b
M	J03.01.01		b
H	A08		b
M	J03.02		b
M	H06.02		b
M	B02		i
H	A07		b
M	I01		b
M	F03.01		b
H	A06		b
M	J02.01		i
H	J03.02.01		b
H	D01.02		b
M	K02		i
M	E01		b
M	J02		b
M	J03.01		b
M	M02.03		b
M	D02.01		i
M	J02.13		i

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

#### 4.4 Ownership (optional)

Type	[%]	
Public	National/Federal	0
	State/Province	0
	Local/Municipal	0
	Any Public	0
Joint or Co-Ownership	0	
Private	100	
Unknown	0	
sum	100	

## 5. SITE PROTECTION STATUS (optional)

[Back to top](#)

### 5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT04	100.0				

## 6. SITE MANAGEMENT

[Back to top](#)

### 6.1 Body(ies) responsible for the site management:

Organisation:	Ente Gestore del Parco Regionale Adda Nord
Address:	Via Padre Benigno Calvi 3, 20056 Trezzo sull'Adda (MI)
Email:	risorsenaturali@parcoaddanord.it

## 6.2 Management Plan(s):

An actual management plan does exist:

- Yes  
 No, but in preparation  
 No

## 6.3 Conservation measures (optional)

Misure di conservazione per la tutela delle ZPS lombarde (DGR 9275 del 23/04/2009); Misure di conservazione sito-specifiche (DGR 4429 del 30/11/2015)

## 7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes  No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

148 1:100000 Gauss -Boaga